



POBOX - Promote out of
classical drawer box

POBOX

FEATURES

- Steel drawer side H=80mm
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H80



H=80mm Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270A.([^])	DBEC5.270A.([^])	DBREC6.270A.([^])	DBREC5.270A.([^])	1.Drawer box runner(left/right)
300mm	DBEC6.300A.([^])	DBEC5.300A.([^])	DBREC6.300A.([^])	DBREC5.300A.([^])	2.Drawer side Left/Right
350mm	DBEC6.350A.([^])	DBEC5.350A.([^])	DBREC6.350A.([^])	DBREC5.350A.([^])	3.Plastic covers 1*2pcs
400mm	DBEC6.400A.([^])	DBEC5.400A.([^])	DBREC6.400A.([^])	DBREC5.400A.([^])	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450A.([^])	DBEC5.450A.([^])	DBREC6.450A.([^])	DBREC5.450A.([^])	5.back panel adapter (left/right)
500mm	DBEC6.500A.([^])	DBEC5.500A.([^])	DBREC6.500A.([^])	DBREC5.500A.([^])	
550mm	DBEC6.550A.([^])	DBEC5.550A.([^])	DBREC6.550A.([^])	DBREC5.550A.([^])	

Remarks:([^]):Color: White (WT) /Silver(SV)


1 Drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.([^])SL.ZP	DBREC.([^])SL.ZP
	Remarks:([^]):Nominal length:270/300/350/400/450/500/550	

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.([^]) AW.([^])
	Remarks:([^]):Nominal length:270/300/350/400/450/500/550
	([^]):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.([^])
	Remarks:([^]):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description	Front fixing brackets		
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters 1*2pcs	
Description	Back panel adapters 1*2pcs
	DA1103C1.80.([^])
	Remarks:([^]):Color: White (WT) /Silver(SV)



Space required	
NL: Nominal length	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	

Runner Installation	

FEATURES

- Steel drawer side H=130mm
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H130 (Drawing bar)



H=130mm Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270BB1.(^)	DBEC5.270BB1.(^)	DBREC6.270BB1.(^)	DBREC5.270BB1.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300BB1.(^)	DBEC5.300BB1.(^)	DBREC6.300BB1.(^)	DBREC5.300BB1.(^)	2.Drawer side Left/Right
350mm	DBEC6.350BB1.(^)	DBEC5.350BB1.(^)	DBREC6.350BB1.(^)	DBREC5.350BB1.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400BB1.(^)	DBEC5.400BB1.(^)	DBREC6.400BB1.(^)	DBREC5.400BB1.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450BB1.(^)	DBEC5.450BB1.(^)	DBREC6.450BB1.(^)	DBREC5.450BB1.(^)	5.Back panel adapters Left/Right
500mm	DBEC6.500BB1.(^)	DBEC5.500BB1.(^)	DBREC6.500BB1.(^)	DBREC5.500BB1.(^)	6.Drawing bar Left/Right
550mm	DBEC6.550BB1.(^)	DBEC5.550BB1.(^)	DBREC6.550BB1.(^)	DBREC5.550BB1.(^)	

Remarks:(^):Color: White (WT) /Silver(SV)

1 Drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^)*SL.ZP	DBREC.(^)*SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.(^)* AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103C1.130.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

6 Drawing bar Left/Right	
Description	Drawing bar Left/Right
	DA2101B1.(^)*.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)



Space required

NL: Nominal length

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

FEATURES

- Steel drawer side H=190mm
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H190 (Drawing bar)



H=190mm Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270BC3.(^)	DBEC5.270BC3.(^)	DBREC6.270BC3.(^)	DBREC5.270BC3.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300BC3.(^)	DBEC5.300BC3.(^)	DBREC6.300BC3.(^)	DBREC5.300BC3.(^)	2.Drawer side Left/Right
350mm	DBEC6.350BC3.(^)	DBEC5.350BC3.(^)	DBREC6.350BC3.(^)	DBREC5.350BC3.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400BC3.(^)	DBEC5.400BC3.(^)	DBREC6.400BC3.(^)	DBREC5.400BC3.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450BC3.(^)	DBEC5.450BC3.(^)	DBREC6.450BC3.(^)	DBREC5.450BC3.(^)	5.Back panel adapters Left/Right
500mm	DBEC6.500BC3.(^)	DBEC5.500BC3.(^)	DBREC6.500BC3.(^)	DBREC5.500BC3.(^)	6.Drawing bar Left/Right
550mm	DBEC6.550BC3.(^)	DBEC5.550BC3.(^)	DBREC6.550BC3.(^)	DBREC5.550BC3.(^)	

Remarks:(^):Color: White (WT) /Silver(SV)

1 drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^)/SL.ZP	DBREC.(^)/SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.(^)/AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103C1.190.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

6 Drawing bar Left/Right	
Description	Drawing bar Left/Right
	DA2101B1.(^).(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)



Space required	
NL: Nominal length	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	

Runner Installation	

FEATURES

- Any height,with square railing
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



H=Any height (Drawing bar)



Any height Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270BC6.(^)	DBEC5.270BC6.(^)	DBREC6.270BC6.(^)	DBREC5.270BC6.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300BC6.(^)	DBEC5.300BC6.(^)	DBREC6.300BC6.(^)	DBREC5.300BC6.(^)	2.Drawer side Left/Right
350mm	DBEC6.350BC6.(^)	DBEC5.350BC6.(^)	DBREC6.350BC6.(^)	DBREC5.350BC6.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400BC6.(^)	DBEC5.400BC6.(^)	DBREC6.400BC6.(^)	DBREC5.400BC6.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450BC6.(^)	DBEC5.450BC6.(^)	DBREC6.450BC6.(^)	DBREC5.450BC6.(^)	5.Back panel adapters Left/Right
500mm	DBEC6.500BC6.(^)	DBEC5.500BC6.(^)	DBREC6.500BC6.(^)	DBREC5.500BC6.(^)	6.Drawing bar Left/Right
550mm	DBEC6.550BC6.(^)	DBEC5.550BC6.(^)	DBREC6.550BC6.(^)	DBREC5.550BC6.(^)	

Remarks:(^):Color: White (WT) /Silver(SV)

1 drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^)/SL.ZP	DBREC.(^)/SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.(^)/AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description	Front fixing brackets		
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters 1*2pcs	
Description	Back panel adapters 1*2pcs
	DA1103C1.80.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

6 Drawing bar Left/Right	
Description	Drawing bar Left/Right
	DA2101B11.80.(^).(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)



Space required	
NL: Nominal length	


Cutting size	
NL: Nominal length LW:Inner Cabinet Width	

Runner Installation	


INSTALLATION INSTRUCTION

POBOX


H=80mm installation instruction (Front panel assembling hole distance 32mm)




H=130mm installation instruction with drawing bars (Front panel assembling hole distance 32mm)




H=190mm installation instruction with drawing bars (Front panel assembling hole distance 32mm)




H=Any height installation instruction with drawing bars (Front panel assembling hole distance 32mm)




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction



Installation instruction



Installation instruction



Installation instruction

